

Fully-Framed All-Welded Metal Cubbies





Children Safe For Peace Of Mind





Primary II (5-wide unit)

Fully-Framed All-Welded School Cubbies Offer Safety, **Durability and Value**

Introducing Superior Fully-Framed All-Welded Cubbies. We have engineered this new line of cubbies specifically for elementary school and early childhood classrooms. Combining the high quality of our All-Welded lockers, design flexibility of our Hollow-T framing system and the added safety features required for this specialized market, we present four distinct models to meet children's personal storage needs. Superior Cubbies are backed by our written lifetime warranty.




Primary II (2-wide unit)

Hemmed and rolled edges to eliminate sharp edges

The unique design of our Backpack Cubbie was first developed by our company President, JR List, from the result of discussions with his two sons who at the time were just past the elementary school stage.

Over the past few years, we have made several improvements to insure all corners are rounded and edges hemmed or rolled for safety. We then added the Primary Cubbie which is a 50-3/4" high single tier model with one lower boot shelf and the Primary II Cubbie adding an upper hat shelf to the Primary Cubbie.

Finally, with the addition of the Primary Jr. Cubbie standing only 26-3/4" high for use when minimal storage is required or when space is an issue, we were ready to launch the line. Four years in development, testing and beta project testing, we are confident you will agree, our Superior Fully-Framed All-Welded Cubbies are the perfect personal storage solution for elementary school and early childhood day care classrooms.



Number plate

in bottom of

children can easilv

identify their

cubbie space.

cubbie so

MODEL	WIDTH	DEPTH	HEIGHT
Primary Cubbie	12", 15"	12", 16"	50-3/4"
Primary II Cubbie	12", 15"	12", 16"	50-3/4"
Primary Jr. Cubbie	12", 15"	12", 16"	26-3/4"
Backpack Cubbie	15", 18"	12", 16"	50-3/4"

All welded cubbies will ship in multiple column units up to 60" wide to meet individual jobsite conditions

Primary (2-wide unit)

Unique Cubbie Features



Backpack Cubbie's Unique **Design Accommodates** Two Students In One Compartment Space

Superior Cubbie Features

- Fully-Framed All-Welded Construction
- · Heavy gauge steel components for maximum durability
- · Hemmed and beaded edges are safe to touch
- 18 standard colors to choose from
- · 4 modern functional designs with children's needs in mind
- · A number plate is included at each student's cubbie space
- · Open design for ease of use and viewing
- · Easily secures to wall and floor for added safety
- · Cost savings vs. wood casework
- Low installation costs vs. wood casework
- Reduced installation time vs. wood casework
- Low maintenance vs. wood casework
- · Low life-cycle cost vs. wood casework
- · Lifetime warranty vs. wood casework's one year warranty
- Insect proof...Termite buster



Backpack (1-wide unit)

Superior® Cubbies are available in 4 functional models and 18 colors



call 1-800-776-1342 for our color selector. Snow White 714 Sandstone 710 Sand Beige Maroon 727 Midnight Ebony 708 Hallowell Gray 725 Pep Rally Trophy Hoop 728 Parchment 729 Platinum 711 Heather 706 Marine Blue 707 Green Mist 705 Evergreen 704

Grand Slam

18 Spectacular Colors For a more accurate color match please

Relay Red

SPECIFICATIONS

SUPERIOR® Fully-Framed All-Welded Primary, Primary II and Primary Jr. Cubbies™

General: Cubbies shall Be "Superior Fully-Framed All-Welded Primary/Primary II/Primary Jr. Cubbie" as manufactured by List Industries Inc. or approved equal. All cubbies shall be factory-assembled of all MIG welded construction in multiple column units to meet job conditions. Assembly of cubbie bodies by means of bolts, screws, or rivets will not be permitted. Welding of knockdown cubbie construction is not acceptable. Wood Cubbies are not acceptable. Grind exposed welds and metal edges flush and make safe to touch.

Finishing: All cubbie parts to be cleaned and coated after fabrication with a seven stage zinc/iron phosphate solution to inhibit corrosion, followed by a coat of high grade enamel electrostatically sprayed and baked at 325 degrees Fahrenheit for a minimum of 30 minutes to provide a tough durable finish. Color to be selected from manufacturer's standard list of colors.

Frame / Vertical Side panels: Shall be of 20 gauge solid sheet steel framed by 16 gauge Hollow "T" tubular sections and channel frame members designed to enclose all four edges of the side panel with the entire assembly MIG welded to form a rigid frame for each cubbie. The channel frame members are welded to the front and rear vertical frame members to create and anchor bearing surface of 1-1/4 inches wide x the depth of the cubbie at each side panel.

Integral Frame Cubbie Base: Shall be fabricated from 16 gauge cold rolled sheet steel with double return flanges at the front and rear. The bottoms are raised a full 2-3/4" above finished floor and are designed to engage the vertical Hollow-T frame at all four corners providing an integral torque-free unit.

Flat Tops: Shall be formed of one piece of 16 gauge cold rolled sheet steel and shall be an integral part MIG welded to each vertical side panel frame member and be continuous to cover the full width of a multiple cubbie unit.

Shelves: Shall be 16 gauge sheet steel, have a beaded (rolled tight) front profile to conceal the edge of the sheet steel and insure rigidity with single bends at sides and rear. Shelves shall be designed to engage the vertical Hollow-T frame at all four corners becoming an integral part of the welded cubbie unit. Primary Cubbies to include (1) full-width lower shelf. Primary II cubbies to include (1) full-width upper shelf in addition to the lower shelf. Primary Jr. Cubbies do not include a shelf.

Backs: Shall be 18 gauge cold rolled sheet steel, be continuous to cover a multiple cubbie unit and be welded to each vertical side panel as well as to the top and bottom.

Equipment: Furnish each cubbie wardrobe opening with one double prong ceiling hook. The bottom is to include a number plate centered on the opening located near the front.

Lifetime Warranty: Superior Fully-Framed All-Welded Cubbies are covered against all defects in materials and workmanship excluding finish, damage resulting from deliberate destruction and vandalism under this section for the lifetime of the facility.

SUPERIOR® Fully-Framed All-Welded Backpack Cubbie™

General: Cubbies shall Be "Superior Fully-Framed All-Welded Backpack Cubbie" as manufactured by List Industries Inc. or approved equal. Each Backpack Cubbie shall consist of (2) full-width upper backpack compartments and (2) half-width wardrobe compartments. All cubbies shall be factory-assemble of all MIG welded construction in multiple column units to meet job conditions. Assembly of cubbie bodies by means of bolts, screws, or rivets will not be permitted. Welding of knockdown cubbie construction is not acceptable. Wood Cubbies are not acceptable. Grind exposed welds and metal edges flush and make safe to touch.

Finishing: All cubbie parts to be cleaned and coated after fabrication with a seven stage zinc/iron phosphate solution to inhibit corrosion, followed by a coat of high grade enamel electrostatically sprayed and baked at 325 degrees Fahrenheit for a minimum of 30 minutes to provide a tough durable finish. Color to be selected from manufacturer's standard list of colors.

Frame / Vertical Side panels: Shall be of 20 gauge solid sheet steel framed by 16 gauge Hollow "T" tubular sections and channel frame members designed to enclose all four edges of the side panel with the entire assembly MIG welded to form a rigid frame for each cubbie. The channel frame members are welded to the front and rear vertical frame members to create and anchor bearing surface of 1-1/4 inches wide x the depth of the cubbie at each side panel.

Integral Frame Cubbie Base: Shall be fabricated from 16 gauge cold rolled steel with double return flanges at the front and rear. The bottoms are raised a full 2-3/4" above finished floor and are designed to engage the vertical Hollow-T frame at all four corners providing an integral torque-free unit.

Flat Tops: Shall be formed of one piece of 16 gauge cold rolled sheet steel and shall be an integral part MIG welded to each vertical side panel frame member and be continuous to cover the full width of a multiple cubbie unit.

Backpack Shelves: Shall be 16 gauge sheet steel, have a beaded (rolled tight) front profile to conceal the edge of the sheet steel and insure rigidity with single bends at sides and rear. Shelves shall be designed to engage the vertical Hollow-T frame at all four corners becoming an integral part of the welded cubbie unit. Provide (2) full-width upper backpack shelves per cubbie.

Backs: Shall be 18 gauge cold rolled sheet steel, be continuous to cover a multiple cubbie unit and be welded to each vertical side panel as well as to the top and bottom.

Center Partition: Shall be of 16 gauge cold rolled sheet steel securely welded to the underside of the lower backpack shelf, unit back, and unit bottom. The front of the partition is to be beaded (rolled tight) to conceal the edge of the sheet steel and insure rigidity.

Equipment: Furnish each cubbie wardrobe opening with one double prong ceiling hook. The bottom is to include a number plate centered on the opening located near the front.

Lifetime Warranty: Superior Fully-Framed All-Welded Cubbies are covered against all defects in materials and workmanship excluding finish, damage resulting from deliberate destruction and vandalism under this section for the lifetime of the facility.

See Us In:



(800) 776-1342

(954) 429-9155 Fax (954) 428-3843

401 Jim Moran Blvd. P.O. Box 9601, Deerfield Beach, FL 33442 www.ListIndustries.com